

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/787,304	02/27/2004	Yoshiharu Ikegawa	03500.101435	4360
	7590 01/24/200 CELLA HARPER &	EXAMINER		
30 ROCKEFELLER PLAZA			MCLEAN, NEIL R	
NEW YORK, NY 10112			ART UNIT	PAPER NUMBER
			2625	
			MAIL DATE	DELIVERY MODE
			01/24/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		A 12 A1 A1	T A 1: 4(-)		
		Application No.	Applicant(s)		
		10/787,304	IKEGAWA, YOSHIHARU		
	Office Action Summary	Examiner	Art Unit		
		Neil R. McLean	2625		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the o	orrespondence address		
A SH WHIC - Exte after - If NC - Failt Any	IORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE OF THE OF THE OF THE OF THE MAILING DATE OF THE OF THE OF THE OF THE O	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from , cause the application to become AB ANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C.§ 133).		
Status					
1)⊠	Responsive to communication(s) filed on 27 Fe	ebruary 2004.			
2a) <u></u> □	This action is FINAL . 2b)⊠ This action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.		
Disposit	tion of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1-24 is/are pending in the application 4a) Of the above claim(s) is/are withdray Claim(s) is/are allowed. Claim(s) 1-24 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.			
Applicat	tion Papers				
	The specification is objected to by the Examine				
10)	The drawing(s) filed on 27 February 2004 is/ard				
	Applicant may not request that any objection to the				
11)	Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex				
Priority	under 35 U.S.C. § 119		÷		
12)⊠ a)	Acknowledgment is made of a claim for foreign All b Some * c None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Burea See the attached detailed Office action for a list	is have been received. Is have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	tion No red in this National Stage		
	ice of References Cited (PTO-892)	4)			
3) 🔲 Info	ice of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08) per No(s)/Mail Date	5) Notice of Informal 6) Other:			

10/787,304 Art Unit: 2625

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

3. Claims 13-18 and 23-24 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

In Claim 13-18 and 23-24, a "computer program" is being recited; however, computer program would reasonably be interpreted by one of ordinary skill in the art as software, per se. This subject matter is not limited to that which falls within a statutory category of invention because it is limited to a process, machine, manufacture, or a composition of matter. Software is a function descriptive material and a function descriptive material is non-statutory subject matter.

Claim Rejections - 35 USC § 103

10/787,304

Art Unit: 2625

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-2, 4-8,10-14, and 16-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueda (US 6,538,764) in view of lizumi et al. (US 6,891,638)

Regarding Claim 1:

Ueda discloses an information processing apparatus (e.g., Host Computer 1500 in Figure 1) which outputs data to be printed to an image forming apparatus (e.g., Printer 2500 in Figure 1) having an image forming unit (Printing Section 17 in Figure 1), transferring sequentially developed images to a recording medium (e.g., paper), and forming an image, comprising:

means for converting document data into image data (Printer Controller 2000 analyzes the document data and converts into dot patterns; Column 21, lines 51-55); and

transfer means (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10) for transferring the converted image data to the image forming apparatus.

10/787,304

Art Unit: 2625

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 1.

Regarding Claim 2:

10/787,304

Art Unit: 2625

Ueda further discloses the apparatus according to claim 1, wherein said transfer means divides the converted image data in a band unit and transfers the data (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

Regarding Claim 4:

Ueda further discloses an apparatus according to claim 1, wherein before an image on a current page is completely formed by the color image forming apparatus, forming an image on a next page can be started by said transfer means which transfers the image data on the next page before completely transferring the image data on the current page (Column 3, lines 22-34).

Regarding Claim 5:

The apparatus according to claim 4, further comprising: storage means for storing a memory capacity of memory storing image data in the color image forming apparatus; and

control means for controlling an order in which the divided image data is transferred by said transfer means depending on a data size (Column 4, lines 11-25) of the divided image data and the memory capacity.

Regarding Claim 6:

Art Unit: 2625

The apparatus according to claim 5, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an image forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion between the current page and the next page in an image forming process, said control means controls to transfer the image data of the next page after transferring the image data of the current page (Column 8, lines 30-34).

Regarding Claim 7:

Ueda discloses an information processing method (e.g., The method described in Column 6, lines 4-22) for outputting data to be printed on an image forming apparatus (e.g., Printer 2500 in Figure 1) having an image forming unit (Printing Section 17 in Figure 1), transferring sequentially developed images in to a recording medium (e.g., paper), and forming an image, comprising:

a converting step of converting document data into image data (Printer Controller 2000 analyzes the document data and converts into dot patterns); and

a transfer step (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10) for transferring the image data to the image forming apparatus.

10/787.304

Art Unit: 2625

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 7.

Regarding Claim 8:

Ueda further discloses the method according to claim 7, wherein said transfer step divides the image data converted in said converting step in a band unit and

Art Unit: 2625

transfers the data (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

Regarding Claim 10:

Ueda further discloses the method according to claim 7, wherein before an image on a current page is completely formed by the color image forming apparatus, forming an image on a next page can be started in said transfer step which transfers the image data on the next page before completely transferring the image data on the current page (Column 3, lines 22-34).

Regarding Claim 11:

The method according to claim 10, further comprising: a storing step of storing a memory capacity of memory storing image data in the color image forming apparatus; and

a control step of controlling an order in which the converted image data is transferred by said transfer means depending on a data size (Column 4, lines 11-25) of the converted image data and the memory capacity.

Regarding Claim 12:

The method according to claim 11, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an image

10/787,304

Art Unit: 2625

forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion between the current page and the next page in an image forming process, said control step controls to transfer the image data of the next page after transferring the image data of the current page (Column 8, lines 30-34).

Regarding Claim 13:

Ueda discloses a program operated in an information processing apparatus (e.g., Host Computer 1500 in Figure 1) which outputs data to be printed on an image forming apparatus (e.g., Printer 2500 in Figure 1) having an image forming unit (Printing Section 17 in Figure 1), transferring sequentially developed images to a recording medium (e.g., paper), and forming an image, comprising:

a converting step of converting document data into image data (Printer Controller 2000 analyzes the document data and converts into dot patterns); and

a transfer step (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10) for transferring converted image data printed to the image forming apparatus.

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

10/787,304

Art Unit: 2625

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 13.

Regarding Claim 14:

Ueda further discloses the program according to claim 13, wherein said transfer step divides the image data converted in said converting step in a band unit and transfers the data (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

10/787,304

Art Unit: 2625

Regarding Claim 16:

Ueda further discloses the program according to claim 13, wherein before an image on a current page is completely formed by the color image forming apparatus, forming an image on a next page can be started in said transfer step which transfers the image data on the next page before completely transferring the image data on the current page (Column 3, lines 22-34).

Regarding Claim 17:

The program according to claim 16, further comprising: a storing step of storing a memory capacity of memory storing image data in the color image forming apparatus; and

a control step of controlling an order in which the converted image data is transferred by said transfer means depending on a data size (Column 4, lines 11-25) of the converted image data and the memory capacity.

Regarding Claim 18:

The program according to claim 17, wherein when a storage capacity of the memory cannot store the image data of the current page and the image data of the next page in an overlapping portion between the current page and the next page in an image forming process, or when a storage capacity of the memory cannot store the image data of the next page and the image data of the current page in an overlapping portion

10/787,304

Art Unit: 2625

between the current page and the next page in an image forming process, said control step controls to transfer the image data of the next page after transferring the image data of the current page (Column 8, lines 30-34).

Regarding Claim 19:

Ueda discloses an image forming apparatus (e.g., Host Computer 1500 in Figure 1) which is connected to an information processing apparatus (e.g., Printer 2500 in Figure 1) over a communications network (The communication mediums described in Column 26, lines 53-60), has an image forming unit (Printing Section 17 in Figure 1), transfers sequentially developed images to a recording medium (e.g., paper), and forms an image, comprising:

reception means (e.g., Input Section 15 in Figure 1) for receiving image data from the information processing apparatus; and

means for forming an image by sequentially developing an image in based on the received image data (e.g., Printing Section 17 in Figure 1), and transferring the developed image to a recording medium (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

10/787,304

Art Unit: 2625

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 19.

Regarding Claim 20:

Ueda further discloses the apparatus according to claim 19, wherein said image data is divided in a band unit (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

Regarding Claim 21:

Ueda discloses an image forming method (e.g., The method described in Column 6, lines 4-22) for use with an apparatus (e.g., Host Computer 1500 in Figure 1) which is connected to a terminal device (e.g., Printer 2500 in Figure 1) over a communications network (The communication mediums described in Column 26, lines 53-60), has an image forming unit (e.g., Printing Section 17 in Figure 1), transfers sequentially developed images to a recording medium (e.g., paper), and forms an image, comprising:

a receiving step(e.g., Input Section 15 in Figure 1) of receiving image data from the terminal device; and

a step of forming an image by sequentially developing an image based on the image data received in said receiving step (e.g., Printing Section 17 in Figure 1), and transferring (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10) the developed image in color to a recording medium.

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which

10/787,304

Art Unit: 2625

the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 21.

Regarding Claim 22:

Ueda further discloses the method according to claim 21, wherein said image data is divided in a band unit (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

Regarding Claim 23:

Ueda discloses a computer-readable program for use with an apparatus (e.g., Host Computer 1500 in Figure 1) which is connected to a terminal device (e.g., Printer 2500 in Figure 1) over a communications network (The communication mediums

10/787,304

. .

Art Unit: 2625

described in Column 26, lines 53-60), has an image forming unit (e.g., Printing Section 17 in Figure 1), transfers sequentially developed images to a recording medium (e.g., paper), and forms an image, comprising:

a receiving step (e.g., Input Section 15 in Figure 1) of receiving image data from the terminal device; and

a step of forming an image (e.g., Printing Section 17 in Figure 1) by sequentially developing an image based on the image data received in said receiving step, and transferring (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10) the developed image to a recording medium.

Ueda does not disclose expressly a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

lizumi et al. discloses wherein a color image forming apparatus (Shown in Figure 1), having a plurality of image forming units (Figure 1, 19-22 denote developers; Column 3, lines 1-4), and a transfer means (e.g., Color Space Converter 11 in Figure 1) in which the data is in accordance with a delay among the image forming units of the color image forming apparatus (12-14 are delay circuits for delaying YMCK data).

Ueda & lizumi et al. are combinable because they are from the same field of endeavor of image processing; e.g., image processing apparatus's.

10/787,304

Art Unit: 2625

Page 17

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use a color image forming apparatus, having a plurality of image forming units, and a transfer means in which the data is in accordance with a delay among the image forming units of the color image forming apparatus.

The suggestion/motivation for doing so would have been to include color to a printer's capabilities in order create more pleasing documents.

Therefore, it would have been obvious to combine lizumi et al.'s Color Printer with Ueda's Band Printing Apparatus to obtain the invention as specified in claim 23.

Regarding Claim 24:

Ueda further discloses the program according to claim 23, wherein said image data is divided in a band unit (Printing information transferred from the host to the printer is divided into bands; Figures 2A and 2B; Column 22, lines 5-10).

6. Claims 3, 9, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueda (US 6,538,764) in view of lizumi et al. (US 6,891,638) and further in view of Toda (US 7,023,579).

Regarding Claim 3:

The apparatus according to claim 2, wherein said transfer means compresses the image data divided in the band unit and transfers the data.

10/787,304 Art Unit: 2625

Regarding Claim 9:

The method according to claim 8, wherein said transfer step compresses the image data divided in the band unit and transfers the data.

Regarding Claim 15:

The program according to claim 14, wherein said transfer step compresses the image data divided in the band unit and transfers the data.

Ueda and lizumi et al. disclose all of the limitations of Claims 1, 8 and 14.

Ueda and lizumi et al. do not disclose expressly wherein said transfer means compresses the image data and transfers the data.

Toda discloses wherein said transfer means compresses the image data and transfers the data (Column 8, lines 49-56).

Toda & Ueda and lizumi et al. are combinable because they are from the same field of endeavor of image processing.

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to compress the image data prior to sending to the print unit.

The suggestion/motivation for doing so would have been to save time, money and bandwidth.

Therefore, it would have been obvious to combine Ueda's compression utility with Ueda and lizumi et al.'s image processor to obtain the invention as specified in claims 3, 9, and 15.

10/787,304 Art Unit: 2625

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kawata et al. (US 6,219,149) discloses a print processing apparatus realizes high speed processing of input data which includes various types of drawing objects such as images, graphics and characters. In the apparatus, input data generated by an input data generating unit is converted into intermediate data in an intermediate data generating element.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Neil R. McLean whose telephone number is 571. 270.1679. The examiner can normally be reached on Monday through Friday 7:30AM-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571.272.7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 20

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

01/21/2008

SUPERVISORY PATENT EXAMINER